

06171-105C

DELPHION

Select

RESEARCH

PRODUCTS

INSIDE DELPHION

My Account

Search: Quick/Number Boolean Advanced Der

The Delphion Integrated ViewGet Now: ☒ PDF | [More choices...](#)Tools: Add to Work File: [Create new Work](#)View: [INPADOC](#) | Jump to: [Top](#) ☒ Go to: [Derwent](#)☒ Email

🔍 Title: **JP06228186A2: 2'-DEOXY-@(3754/24)2'S)-ALKYLPYRIMIDINE NUCL DERIVATIVE**

🔍 Derwent Title: New 2'-deoxy-(2'S)-alkyl:pyrimidine nucleoside derivs. - are antiviral agents against e.g. herpes simplex. [\[Derwent Record\]](#)

🔍 Country: JP Japan

🔍 Kind: A

🔍 Inventor: MATSUDA AKIRA;
SHUTO SATOSHI;
BABA MASANORI;
SHIGETA SHIRO;
SASAKI TAKUMA;

🔍 Assignee: YAMASA SHOYU CO LTD
[News, Profiles, Stocks and More about this company](#)

🔍 Published / Filed: 1994-08-16 / 1993-01-29

🔍 Application JP1993000034495

Number:

🔍 IPC Code: [C07H 19/06](#); [A61K 31/70](#);

🔍 Priority Number: 1993-01-29 JP1993000034495

🔍 Abstract: PURPOSE: To obtain the subject new derivative, composed of a 2'-deoxy-(2'S)- alkylpyrimidine nucleoside derivative, having excellent antiviral activity, good in absorbability, solubility and stability with hardly any side effects and useful as an antiviral agent, etc.



CONSTITUTION: The 2'-position of the saccharide part in a pyrimidine nucleoside derivative expressed by formula I (R1 is amino or OH; Z is protecting group) is alkylated with an alkylating agent (e.g. methylmagnesium bromide) to provide a compound expressed by formula II (R3 is lower alkyl). The hydroxyl group at the 2'-position of the saccharide part in the produced compound expressed by formula II is then acylated with an acylating agent (e.g. methyloxalyl chloride) and subsequently reduced with a reducing agent (e.g. tributyltin hydride) to afford a compound expressed by formula III. The basic part at the 5-position thereof is further halogenated with a halogenating agent (e.g. N-iodosuccinimide) and the protecting group of the saccharide part is then released. The 5'-position of the saccharide part, as necessary, is subsequently phosphorylated to afford the objective nucleoside derivative expressed by formula IV (R2 is halogen; R4 is H or phosphoric acid residue).

COPYRIGHT: (C)1994,JPO&Japio




Family: None

Forward References: Go to Result Set: Forward references (2)

PDF	Patent	Pub.Date	Inventor	Assignee	Title
	US6914054	2005-07-05	Sommadossi; Jean-Pierre	Idenix Pharmaceuticals, Inc.	Methods and co for treating hep
	US5627053	1997-05-06	Usman; Nassim	Ribozyme Pharmaceuticals, Inc.	2'deoxy-2'-alkyl containing nucle

Other Abstract Info: CHEMABS 122(03)031836U CAN122(03)031836U DERABS C94-299800 DERC94-29 JAPABS 180601C000160 JAP180601C000160



Nominate this for the Gall

THOMSON

Copyright © 1997-2005 The Thor

[Subscriptions](#) | [Web Seminars](#) | [Privacy](#) | [Terms & Conditions](#) | [Site Map](#) | [Contact U](#)